

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

## **Rebidding of Supply & Delivery of Various Photography Equipment and Accessories**

Government of the Republic of the Philippines

**Sixth Edition  
July 2020**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>5</b>
<b>Section I. Invitation to Bid.....</b>	<b>8</b>
<b>Section II. Instructions to Bidders.....</b>	<b>10</b>
1. Scope of Bid .....	10
2. Funding Information.....	10
3. Bidding Requirements .....	10
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	10
5. Eligible Bidders.....	10
6. Origin of Goods .....	10
7. Subcontracts .....	10
8. Pre-Bid Conference .....	11
9. Clarification and Amendment of Bidding Documents .....	11
10. Documents comprising the Bid: Eligibility and Technical Components .....	11
11. Documents comprising the Bid: Financial Component .....	12
12. Bid Prices .....	12
13. Bid and Payment Currencies .....	13
14. Bid Security .....	13
15. Sealing and Marking of Bids .....	14
16. Deadline for Submission of Bids .....	14
17. Opening and Preliminary Examination of Bids .....	14
18. Domestic Preference .....	15
19. Detailed Evaluation and Comparison of Bids .....	15
20. Post-Qualification .....	15
21. Signing of the Contract .....	15
<b>Section III. Bid Data Sheet .....</b>	<b>16</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>20</b>
1. Scope of Contract .....	21
2. Advance Payment and Terms of Payment .....	21
3. Performance Security .....	21
4. Inspection and Tests .....	22
5. Warranty .....	22
6. Liability of the Supplier .....	22
<b>Section V. Special Conditions of Contract .....</b>	<b>23</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>25</b>
<b>Section VII. Technical Specifications .....</b>	<b>27</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>31</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described,

detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019).

Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

***Section I. Invitation to Bid***

**DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT**  
Regional Office No. 10, Masterson Avenue, Upper Carmen, Cagayan de Oro City

**INVITATION TO REBIDDING FOR Supply & Delivery of  
Photography Equipment and Accessories**

1. The *Department of Social Welfare and Development Field Office 10* through the **Current Appropriations GAA 2021** intends to apply the sum of **Seven Hundred Ninety-One Thousand Six Hundred Ninety-Six Pesos Only (Php 791,696.00)**

<b>Photography Equipment and Accessories</b>	<b>Php 791,696.00</b>
<b>Total</b>	<b>Php 791,696.00</b>

being the Approved Budget for the Contract (ABC) to payments under the contract for each lot/item as shown in section 6 of the PBD . Bids received in excess of the ABC for each lot/item shall be automatically rejected at bid opening.

2. The *DSWD FO 10* now invites bids for the Rebidding of Supply & Delivery of Various Photography Equipment and Accessories. Delivery of the Goods *should be based on what is stipulated in the Schedule of Requirements*. Prospective Bidders must have completed a similar contract within the preceding two (2) years, a single contract equivalent to at least Twenty-Five (25%) percent of the Approved Budget Cost. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.
  - (i) Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
4. Interested bidders may obtain further information from *DSWD FO 10* and inspect the Bidding Documents at the address given below during weekdays at 8:00AM – 5:00PM.
5. Complete sets of Eligibility Requirements and Bidding Documents may be purchased by Bidders from the Office of the BAC Secretariat at the *DSWD Regional Office*, Mastersons Avenue, Carmen, Cagayan de Oro City, upon payment of a non-refundable fee to the *DSWD Cashier* as follows:



<b>ABC</b>	<b>COST</b>
More than 500,000 up to 1 Million	P 1,000.00

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The *DSWD FO 10* will hold a Virtual Pre-Bid Conference<sup>1</sup> on **October 28, 2021 @ 1:00PM** at DSWD Conference, DSWD 10, Carmen, CDO, which shall be open to prospective bidders. Please email us at **bac.fo10@dswd.gov.ph** or call us at **09358141929** for the link.
7. Bids must be duly received by the BAC Secretariat at the address below on or before **November 15, 2021 @ 12:00PM**. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 18.

Bid opening shall be on **November 15, 2021 @ 1:00PM** at DSWD Conference, DSWD 10, Carmen, CDO. Bids will be opened in the presence of the bidders' representatives through virtual conference. Late bids shall not be accepted.

8. Each Bidder shall submit one (1) original and two (2) more duplicate copies which should be labeled as "Copy 1" and "Copy 2".
9. The *DSWD FO 10* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

Mrs. Rosemarie P. Conde  
 SWO V/BAC Chairman  
 Bids and Awards Committee – BAC-10  
 DSWD Field Office 10  
 Conference Room, DSWD Field Office No. 10,  
 Masterson Avenue, Upper Carmen, Cagayan de Oro City  
 Tel . (088)858-6333 local 102  
 Email: **bac.fo10@dswd.gov.ph**

**ROSEMARIE P. CONDE**  
*BAC Chairperson*

## ***Section II. Instructions to Bidders***

### **1. Scope of Bid**

The Procuring Entity, *Department of Social Welfare and Development Field Office 10* wishes to receive Bids for the Rebidding of Supply & Delivery of Various Photography Equipment and Accessories with identification number 2021-10-0036.

The Procurement Project (referred to herein as “Project”) is composed of 1 Lot, the details of which are described in Section VII (Technical Specifications).

### **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for **Current Appropriations GAA 2021** intends to apply the sum of **Seven Hundred Ninety-One Thousand Six Hundred Ninety-Six Pesos Only (Php 791,696.00)**

2.2. The source of funding is:

NGA, the General Appropriations Act or Special Appropriations.

### **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No.

9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.

5.3. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

7.1. Subcontracting is not allowed.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address DSWD Conference, DSWD 10, Carmen, CDO as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the

Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the preceding two (2) years prior to the deadline for the submission and receipt of bids.

10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
  - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
  - ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

- a. Philippine Pesos.

### **14. Bid Security**

14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until *12 months*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## **15. Sealing and Marking of Bids**

Each Bidder shall submit one (1) original and two (2) more duplicate copies of its Bid.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## *Section III. Bid Data Sheet*

### **Bid Data Sheet**

<b>ITB Clause</b>							
1.2	The project is composed of One (1) Lot.						
5.3	The Bidder must have completed, within the period specified in the Invitation to Bid, a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.						
7.1	Subcontracting is not allowed.						
12.1(a)	<i>No further instructions</i>						
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>1. The amount of not less than <i>[Insert 2% of ABC]</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit.</p> <p style="text-align: center;">Or</p> <p>2. The amount of not less than <i>[Insert 5% of ABC]</i> if bid security is in Surety Bond.</p> <p style="text-align: center;">Amount as Follows:</p> <table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="text-align: left;">ABC</th> <th style="text-align: center;">2%</th> <th style="text-align: center;">5%</th> </tr> </thead> <tbody> <tr> <td>Lot 2 Php 791,696.00</td> <td style="text-align: center;">15,833.92</td> <td style="text-align: center;">39,584.80</td> </tr> </tbody> </table>	ABC	2%	5%	Lot 2 Php 791,696.00	15,833.92	39,584.80
ABC	2%	5%					
Lot 2 Php 791,696.00	15,833.92	39,584.80					
	<p><b>Grouping and Evaluation of Lots –</b></p> <p>Partial bid is not allowed. The goods are grouped in a lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.</p>						



		<b>Various Photography Equipment and Accessories</b>	<i>Php 791,696.00</i>
		<b>Total</b>	<b><i>Php 791,696.00</i></b>
20.2	<p><i>Latest Income and Business Tax Returns per Revenue Regulations 3-2005.</i></p> <ul style="list-style-type: none"> <li>- <i>Valid Income Tax Return and proof of payment.</i></li> <li>- <i>VAT Returns (Form 2550M and 2550Q or Percentage Tax Returns (2551M) and proof of payment.</i></li> </ul> <p><i>Proofs of Payment are as follows:</i></p> <ul style="list-style-type: none"> <li>- <i>EFPS confirmation receipt or bank issued payment confirmation receipt or BIR payment confirmation receipt/status.</i></li> </ul>		
21.2	No additional requirement		

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

5.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## *Section V. Special Conditions of Contract*

### **Special Conditions of Contract**

GCC Clause	
	The Procuring Entity is <i>Department of Social Welfare and Development Field Office 10</i>
	The Supplier is _____
	The Funding Source is  the Government of the Philippines (GOP) through the <b>Current Appropriations GAA 2021</b> intends to apply the sum of <b>Seven Hundred Ninety-One Thousand Six Hundred Ninety-Six Pesos Only (Php 791,696.00)</b>
	The Project sites are defined in Section VI. Schedule of Requirements.
	No further instructions.
	The Procuring Entity's address for Notices is: Mrs. Rosemarie P. Conde SWO V/BAC Chairman Bids and Awards Committee – BAC-10 DSWD Field Office 10 Conference Room, DSWD Field Office No. 10, Masterson Avenue, Upper Carmen, Cagayan de Oro City Tel . (088)858-6333 local 102  Email: <b><u>bac.fo10@dswd.gov.ph</u></b>  The Supplier's address for Notices is: _____
	<b>Delivery and Documents –</b>  The delivery terms applicable to this Contract are delivered <i>at any area of Region 10</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.  Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the

	<p>Supplier are as follows:</p> <p>Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:</p> <ul style="list-style-type: none"> <li>(i) Original and four copies of the Supplier’s invoice showing Goods’ description, quantity, unit price, and total amount;</li> <li>(ii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity’s representative at the Project Site; and</li> <li>(iii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity’s representative at the Project Site.</li> </ul> <p><b>Incidental Services –</b></p> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p><b>Packaging –</b></p>
	<i>Not applicable</i>
	Payment using LC is not allowed.
	The terms of payment shall be upon presentation of receipts and inspection and acceptance from end user.
	No further instructions.
	None

## ***Section VI. Schedule of Requirements***

### ***Schedule of Requirements***

1. LESSEE/BUYER shall deposit with the LESSOR/SELLER upon signing of contract and prior to move in an amount equal to fifteen percent (15%) of the selling price.
2. LESSEE/BUYER shall amortize the remaining 85% of the selling price over the period of 6 months.
3. The LESSOR/SELLER must submit the corresponding collection Billings after every month as basis of payment.
4. Repairs and maintenance(toners and inks) shall be on account of the LESSEE/BUYER.
5. The LESSE/BUYER must execute the Deed of Absolute Sale upon payment in full of the TOTAL PURCHASE PRICE.
6. Services to be rendered is until December 31, 2021 for Fiscal Year 2021.

I hereby certify to comply the requirements and deliver the item as scheduled.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Bidder's Signature over Printed Name

Date: \_\_\_\_\_

# Section VII. Technical Specifications

## Technical Specifications

Item No.	Items/Descriptions	Qty	Unit	Statement of Compliance
<b>1.</b>	<b>MIRRORLESS CAMERA (BODY ONLY)</b>	<b>2</b>	<b>Units</b>	
Lens	<p>LENS COMPATIBILITY Sony E-mount lenses</p> <hr/> <p>LENS MOUNT E-mount</p>			
Image Sensor	<p>ASPECT RATIO 3:2</p> <hr/> <p>NUMBER OF PIXELS (EFFECTIVE) Approx. 24.2 megapixels</p> <hr/> <p>NUMBER OF PIXELS (TOTAL) Approx. 25.3 megapixels</p> <hr/> <p>SENSOR TYPE 35 mm full frame (35.6 x 23.8 mm), Exmor R CMOS sensor</p> <hr/> <p>ANTI-DUST SYSTEM Charge protection coating on optical filter and image sensor shift mechanism</p>			
Recording (still images)	<p>RECORDING FORMAT JPEG (DCF Ver. 2.0, Exif Ver.2.31, MPF Baseline compliant), RAW (Sony ARW 2.3 format)</p> <hr/> <p>IMAGE SIZE (PIXELS) [3:2] 35 mm full frame L: 6000 x 4000 (24 M), M: 3936 x 2624 (10 M), S: 3008 x 2000 (6.0 M), APS-C L: 3936 x 2624 (10 M), M: 3008 x 2000 (6.0 M), S: 1968 x 1312 (2.6 M)</p> <hr/> <p>IMAGE SIZE (PIXELS) [16:9] 35 mm full frame L: 6000 x 3376 (20 M), M: 3936 x 2216 (8.7 M), S: 3008 x 1688 (5.1 M), APS-C L: 3936 x 2216 (8.7 M), M: 3008 x 1688 (5.1 M), S: 1968 x 1112 (2.2 M)</p> <hr/> <p>IMAGE SIZE (PIXELS) [SWEEP PANORAMA] -</p> <hr/> <p>IMAGE QUALITY MODES RAW, RAW &amp; JPEG (Extra fine, Fine, Standard), JPEG (Extra fine, Fine, Standard)</p> <hr/> <p>PICTURE EFFECT 8 types: Posterization (Color), Posterization (B/W), Pop Color, Retro Photo, Partial Color (R/G/B/Y), High Contrast Monochrome, Toy Camera (Normal/Cool/Warm/Green/Magenta), Soft High-key , Rich-tone Monochrome</p> <hr/> <p>CREATIVE STYLE Standard, Vivid, Neutral, Clear, Deep, Light, Portrait, Landscape, Sunset, Night Scene, Autumn leaves, Black &amp; White, Sepia, Style Box (1-6), (Contrast [-3 to +3 steps], Saturation [-3 to +3 steps], Sharpness [-3 to +3 steps])</p>			



	<b>PICTURE PROFILE</b>	Yes (Off/PP1-PP10) Parameters: Black level, Gamma (Movie, Still, Cine1-4, ITU709, ITU709 [800%], S-Log2, S-Log3, HLG, HLG1-3), Black Gamma, Knee, Color Mode, Saturation, Color Phase, Color Depth, Detail, Copy, Reset
	<b>DYNAMIC RANGE FUNCTIONS</b>	Off, Dynamic Range Optimizer (Auto/Level (1-5)), Auto High Dynamic Range (Auto Exposure Difference, Exposure Difference Level (1-6 EV, 1.0 EV step))
	<b>COLOR SPACE</b>	sRGB standard (with sYCC gamut) and Adobe RGB standard, compatible with TRILUMINOS Color
	<b>14BIT RAW</b>	Yes
	<b>UNCOMPRESSED RAW</b>	Yes
Recording (movie)	<b>RECORDING FORMAT</b>	XAVC S, AVCHD format Ver. 2.0 compliant
	<b>VIDEO COMPRESSION</b>	XAVC S: MPEG-4 AVC/H.264, AVCHD: MPEG-4 AVC/H.264

<b>AUDIO RECORDING FORMAT</b>	XAVC S: LPCM 2ch, AVCHD: Dolby Digital (AC-3) 2ch, Dolby Digital Stereo Creator
<b>COLOR SPACE</b>	xvYCC standard (x.v.Color when connected via HDMI cable) compatible with TRILUMINOS Color
<b>PICTURE EFFECT</b>	Posterization (Color), Posterization (B/W), Pop Color, Retro Photo, Partial Color (R/G/B/Y), High Contrast Monochrome, Toy Camera (Normal/Cool/Warm/Green/Magenta), Soft High-key
<b>CREATIVE STYLE</b>	Standard, Vivid, Neutral, Clear, Deep, Light, Portrait, Landscape, Sunset, Night Scene, Autumn leaves, Black & White, Sepia, Style Box (1-6), (Contrast [-3 to +3 steps], Saturation [-3 to +3 steps], Sharpness [-3 to +3 steps])
<b>PICTURE PROFILE</b>	Yes (Off/PP1-PP10) Parameters: Black level, Gamma (Movie, Still, Cine1-4, ITU709, ITU709 [800%], S-Log2, S-Log3, HLG, HLG1-3), Black Gamma, Knee, Color Mode, Saturation, Color Phase, Color Depth, Detail, Copy, Reset
<b>IMAGE SIZE (PIXELS), NTSC</b>	XAVC S 4K: 3840 x 2160 (30p, 100 M), 3840 x 2160 (24p, 100 M), 3840 x 2160 (30p, 60 M), 3840 x 2160 (24p, 60 M), XAVC S HD: 1920 x 1080 (120p, 100 M), 1920 x 1080 (120p, 60 M), 1920 x 1080 (60p, 50 M), 1920 x 1080 (30p, 50 M), 1920 x 1080 (24p, 50 M), 1920 x 1080 (60p, 25 M), 1920 x 1080 (30p, 16 M), AVCHD: 1920 x 1080 (60i, 24 M, FX), 1920 x 1080 (60i, 17 M, FH)
<b>IMAGE SIZE (PIXELS), PAL</b>	XAVC S 4K: 3840 x 2160 (25p, 100 M), 3840 x 2160 (25p, 60 M), XAVC S HD: 1920 x 1080 (100p, 100 M), 1920 x 1080 (100p, 60 M), 1920 x 1080 (50p, 50 M), 1920 x 1080 (25p, 50 M), AVCHD: 1920 x 1080 (50i, 24 M, FX), 1920 x 1080 (50i, 17 M, FH)

	<b>MEMORY CARD SLOT</b>	SLOT1: Slot for SD (UHS-I/II compliant) memory card, SLOT2: Multi slot for Memory Stick Duo/SD (UHS-I compliant) memory card
	<b>RECORDING MODE ON 2 MEMORY CARDS</b>	Simult. Rec (Still), Simult. Rec (Movie), Simult. Rec (Still/Movie), Sort (JPEG/RAW), Sort (Still/Movie), Auto Switch Media (On/Off), Copy
Noise Reduction	<b>NOISE REDUCTION</b>	Long exposure NR: On/Off, available at shutter speeds longer than 1 sec., High ISO NR: Normal/Low/Off
	<b>MULTI FRAME NR</b>	-
White balance	<b>WHITE BALANCE MODES</b>	Auto / Daylight / Shade / Cloudy / Incandescent / Fluorescent / Warm White / Cool White / Day White / Daylight / Flash / Underwater / Color Temperature 2500 to 9900K and color filter G7 to M7 (57-step), A7 to B7 (29-step) / Custom
	<b>AWB MICRO ADJUSTMENT</b>	Yes G7 to M7, 57-step A7 to B7, 29-step
	<b>PRIORITY SET IN AWB</b>	Yes
	<b>BRACKETING</b>	3 frames, H/L selectable
Focus	<b>FOCUS TYPE</b>	Fast Hybrid AF (phase-detection AF/contrast-detection AF) <sup>2</sup>
	<b>FOCUS SENSOR</b>	Exmor R® CMOS sensor
	<b>FOCUS POINT</b>	35 mm full frame: 693 points (phase-detection AF), APS-C mode with full frame lens: 299 points (phase-detection AF), with APS-C lens: 221 points (phase-detection AF) / 425 points (contrast-detection AF)
	<b>FOCUS SENSITIVITY RANGE</b>	EV-3 to EV20 (ISO100 equivalent with F2.0 lens attached)
	<b>FOCUS MODE</b>	AF-A (Automatic AF), AF-S (Single-shot AF), AF-C (Continuous AF), DMF (Direct Manual Focus), Manual Focus
	<b>FOCUS AREA</b>	Wide (693 points (phase-detection AF), 425 points (contrast-detection AF)) / Zone / Center / Flexible Spot (S/M/L) / Expanded Flexible Spot/ Lock-on AF (Wide / Zone / Center / Flexible Spot (S/M/L)/Expanded Flexible Spot)
	<b>OTHER FEATURES</b>	Eye-start AF (only with LA-EA2 or LA-EA4 attached (sold separately)), Lock-on AF, Eye AF, AF micro adjustment with LA-EA2 or LA-EA4 (sold separately), Predictive control, Focus lock, AF Track Sens, Swt.V/H AF Area, AF Area Regist.
	<b>AF ILLUMINATOR</b>	Yes (with built-in LED type)
	<b>AF ILLUMINATOR RANGE</b>	Approx. 0.3–3.0 m (with FE 28–70 mm F3.5–5.6 OSS attached)
	<b>FOCUS TYPE WITH LA-EA3 (SOLD SEPARATELY)</b>	selectable (phase-detection, contrast-detection)
Exposure	<b>METERING TYPE</b>	1200-zone evaluative metering
	<b>METERING SENSOR</b>	Exmor R® CMOS sensor
	<b>METERING SENSITIVITY</b>	EV-3 to EV20 (at ISO100 equivalent with F2.0 lens attached)
	<b>METERING MODE</b>	Multi-segment, Center-weighted, Spot, Spot Standard/Large, Entire Screen Avg., Highlight
	<b>EXPOSURE COMPENSATION</b>	+/- 5.0EV (1/3 EV, 1/2 EV steps selectable) (with exposure compensation dial: +/- 3EV (1/3 EV steps))
	<b>EXPOSURE BRACKETING</b>	Bracket: Cont., Bracket: Single, 3/5/9 frames selectable. With 3 or 5 frames, in 1/3, 1/2, 2/3, 1.0, 2.0, or 3.0 EV increments, with 9 frames, in 1/3, 1/2, 2/3, or 1.0 EV increments

	<b>AE LOCK</b>	Locked when shutter button is pressed halfway. Available with AE lock button (On/Off/Auto)	
	<b>EXPOSURE MODES</b>	AUTO (iAuto), Programmed AE (P), Aperture priority (A), Shutter-speed priority (S), Manual (M), Movie (Programmed AE (P) / Aperture priority (A) / Shutter-speed priority (S) / Manual (M)), Slow & Quick Motion (Programmed AE (P) / Aperture priority (A) / Shutter-speed priority (S) / Manual (M)), Scene Selection	
	<b>ISO SENSITIVITY (RECOMMENDED EXPOSURE INDEX)</b>	Still images: ISO 100-51200 (ISO numbers up from ISO 50 to ISO 204800 can be set as expanded ISO range.), AUTO (ISO 100-12800, selectable lower limit and upper limit), Movies: ISO 100-51200 equivalent (ISO numbers up to ISO 102400 can be set as expanded ISO range.), AUTO (ISO 100-12800, selectable lower limit and upper limit)	
	<b>ANTI-FLICKER SHOOT.</b>	Yes	
	<b>SCENE SELECTION</b>	Portrait, Sports Action, Macro, Landscape, Sunset, Night Scene, Night Portrait	
Viewfinder	<b>VIEWFINDER TYPE</b>	1.3 cm (0.5 type) electronic viewfinder (color), XGA OLED	
	<b>NUMBER OF DOTS</b>	2,359,296 dots	
	<b>BRIGHTNESS CONTROL (VIEWFINDER)</b>	Auto/Manual (5 steps between -2 and +2)	
	<b>COLOR TEMPERATURE CONTROL</b>	Manual (5 steps)	
	<b>FIELD COVERAGE</b>	100%	
	<b>MAGNIFICATION</b>	approx. 0.78 x (with 50mm lens at infinity, -1m <sup>-1</sup> )	
	<b>DIOPTER ADJUSTMENT</b>	-4.0 to +3.0 m <sup>-1</sup>	
	<b>EYE POINT</b>	Approx. 23 mm from the eyepiece lens, 18.5 mm from the eyepiece frame at -1 m <sup>-1</sup> (CIPA standard)	
	<b>FINDER FRAME RATE SELECTION</b>	-	
	<b>DISPLAY CONTENTS</b>	Graphic Display, Display All Info, No Display Info, Digital Level Gauge, Histogram	
		<b>COLOR TEMPERATURE CONTROL</b>	Manual (5 steps)
		<b>FIELD COVERAGE</b>	100%
	<b>MAGNIFICATION</b>	approx. 0.78 x (with 50mm lens at infinity, -1m <sup>-1</sup> )	
	<b>DIOPTER ADJUSTMENT</b>	-4.0 to +3.0 m <sup>-1</sup>	
	<b>EYE POINT</b>	Approx. 23 mm from the eyepiece lens, 18.5 mm from the eyepiece frame at -1 m <sup>-1</sup> (CIPA standard)	
	<b>FINDER FRAME RATE SELECTION</b>	-	
	<b>DISPLAY CONTENTS</b>	Graphic Display, Display All Info, No Display Info, Digital Level Gauge, Histogram	
LCD Screen	<b>MONITOR TYPE</b>	7.5 cm (3.0-type) type TFT	

	<b>NUMBER OF DOTS</b>	921,600 dots
	<b>TOUCH PANEL</b>	Yes
	<b>BRIGHTNESS CONTROL</b>	Manual (5 steps between -2 and +2), Sunny Weather mode
	<b>ADJUSTABLE ANGLE</b>	Up by approx. 107 degrees, Down by approx. 41 degrees
	<b>DISPLAY SELECTOR (FINDER/LCD)</b>	Yes (Auto/Manual)
	<b>REAL-TIME IMAGE ADJUSTMENT DISPLAY (LCD)</b>	On/Off
	<b>QUICK NAVI</b>	Yes
	<b>FOCUS MAGNIFIER</b>	Yes (35 mm full frame: 5.9x, 11.7x, APS-C: 3.8x, 7.7x)
	<b>FOCUS MAGNIFIER</b>	Yes (35 mm full frame: 5.9x, 11.7x, APS-C: 3.8x, 7.7x)
	<b>ZEBRA</b>	Yes (selectable level + range or lower limit as custom setting)
	<b>PEAKING MF</b>	Yes (Level setting: High/Mid/Low/Off, Color: White/Red/Yellow)
	<b>OTHERS</b>	Grid Line (Rule of 3rds Grid/Square Grid/Diag. + Square Grid/Off), Movie Marker (Center/Aspect/Safety Zone/Guideframe)
	<b>DISPLAY CONTENT</b>	Graphic Display, Display All Info, No Disp. Info, Digital Level Gauge, Histogram, For viewfinder, Monitor Off
Other Features	<b>PLAYMEMORIES CAMERA APPS™</b>	-
	<b>CLEAR IMAGE ZOOM</b>	Still images: Approx. 2x, Movies: Approx. 1.5x (4K), Approx. 2x (HD)
	<b>DIGITAL ZOOM</b>	Smart zoom (Still images): 35 mm full frame: M: approx 1.5x, S: approx 2x, APS-C: M: approx 1.3x, S: approx 2x, Digital zoom (Still images): 35 mm full frame: L: approx 4x, M: approx 6.1x, S: approx 8x, APS-C: L: approx 4x, M: approx 5.2x, S: approx 8x, Digital zoom (Movie): 35 mm full frame: approx 4x, APS-C: approx 4x
	<b>FACE DETECTION</b>	Modes: Face Priority in AF (On/Off), Face Priority in Multi Metering (On/Off), Regist. Faces Priority (On/Off), Face
	<b>SELF-PORTRAIT SELF-TIMER</b>	-
	<b>OTHERS</b>	Touch Focus: Yes (Available with LCD monitor or Viewfinder operation), ISO AUTO Min. SS, Bright Monitoring, Set File Name, FTP Transfer Func., Help guide, Area Setting, Shop Front Mode, Video Light Mode, Zoom Ring Rotate
	<b>EYE-FI READY</b>	-
Shutter	<b>TYPE</b>	Electronically-controlled, vertical-traverse, focal-plane type
	<b>SHUTTER TYPE</b>	-
	<b>SHUTTER SPEED</b>	Still images: 1/8000 to 30 sec, Bulb, Movies: 1/8000 to 1/4 (1/3 steps), up to 1/60 in AUTO mode (up to 1/30 in Auto slow shutter mode)
	<b>FLASH SYNC. SPEED</b>	1/250 sec. <sup>3</sup>
	<b>ELECTRONIC FRONT CURTAIN SHUTTER</b>	Yes (ON/OFF)

	<b>SILENT SHOOTING</b>	Yes (ON/OFF)
<b>Image Stabilization</b>	<b>TYPE</b>	Image Sensor-Shift mechanism with 5-axis compensation (compensation depends on lens specifications)
	<b>COMPENSATION EFFECT</b>	5.0 stops (based on CIPA standard. Pitch/yaw shake only. With Planar T* FE 50mm F1.4 ZA lens mounted. Long exposure NR off.)
<b>Flash Control</b>	<b>CONTROL</b>	Pre-flash TTL
	<b>FLASH COMPENSATION</b>	+/-3.0 EV (switchable between 1/3 and 1/2 EV steps)
	<b>FLASH BRACKETING</b>	3/5/9 frames selectable. With 3 or 5 frames, in 1/3, 1/2, 2/3, 1.0, 2.0, 3.0 EV increments, with 9 frames, in 1/3, 1/2, 2/3, 1.0 EV increments.
	<b>FLASH MODES</b>	Flash off, Autoflash, Fill-flash, Slow Sync., Rear Sync., Red-eye reduction (on/off selectable), Wireless <sup>4</sup> , Hi-speed sync. <sup>4</sup>
	<b>EXTERNAL FLASH COMPATIBILITY</b>	Sony α System Flash compatible with Multi Interface Shoe, attach the shoe adapter for flash compatible with Auto-lock accessory shoe
	<b>FE LEVEL LOCK</b>	Yes
	<b>WIRELESS CONTROL</b>	Yes (Light signal: Available with Fill-flash, Slow Sync., Hi-speed sync. /Radio signal: Available with Fill-flash, Rear Sync., Slow Sync., Hi-speed sync.)
<b>Drive</b>	<b>DRIVE MODES</b>	Single Shooting, Continuous shooting (Hi+/Hi/Mid/Lo selectable), Self-timer, Self-timer (Cont.), Bracket: Single, Bracket: Cont., White Balance bracket, DRO bracket
	<b>CONTINUOUS DRIVE SPEED (APPROX. MAX.)</b>	Continuous shooting: Hi+: max. 10 fps, Hi: max. 8 fps, Mid: max. 6fps, Lo: max. 3 fps <sup>5</sup>
	<b>NO. OF RECORDABLE FRAMES (APPROX.)</b>	JPEG Extra fine L: 163 frames, JPEG Fine L: 172 frames, JPEG Standard L: approx. 177 frames, RAW: 89 frames, RAW & JPG: 79 frames, RAW (Uncompressed): 40 frames, RAW (Uncompressed) & JPG: 36 frames <sup>5</sup>
	<b>SELF-TIMER</b>	10 sec. delay/5 sec. delay/2 sec. delay/Continuous self-timer (3 frames after 10 sec. delay/5 frames after 10 sec. delay/3 frames after 5 sec. delay/5 frames after 5 sec. delay/3 frames after 2 sec. delay/5 frames after 2 sec. delay)/Bracketing self-timer
<b>Playback</b>	<b>PHOTO CAPTURE</b>	Yes
	<b>MODES</b>	Single (with or without shooting information Y RGB histogram & highlight/shadow warning), 9/25-frame index view, Enlarged display mode (L: 18.8x, M: 12.3x, S: 9.4x), Auto Review (10/5/2 sec, Off), Image orientation (Auto/Manual/Off selectable), Slideshow, Folder selection (Date/ Still/ AVCHD/XAVC S HD/XAVC S 4K), Forward/Rewind (movie), Delete, Protect, Rating, Disp Cont Shoot Grp
<b>Interface</b>	<b>PC INTERFACE</b>	Mass-storage, MTP, PC remote
	<b>MULTI/MICRO USB TERMINAL</b>	Yes <sup>6</sup>
	<b>USB TYPE-C<sup>9</sup> TERMINAL</b>	Yes (SuperSpeed USB (USB 3.1 Gen 1) compatible)
	<b>NFC</b>	Yes (NFC forum Type 3 Tag compatible), One-touch remote, One-touch sharing
	<b>WIRELESS LAN (BUILT-IN)</b>	Wi-Fi Compatible, IEEE 802.11b/g/n (2.4 GHz band), View on Smartphone, Remote control via Smartphone, Send to Computer, View on TV
	<b>BLUETOOTH<sup>9</sup></b>	Yes (Bluetooth Standard Ver. 4.1 (2.4 GHz band))
	<b>HD OUTPUT</b>	HDMI micro connector (Type-D), BRAVIA Sync (Control for HDMI), PhotoTV HD, 4K movie output/4K still image PB

MULTI INTERFACE SHOE	Yes <sup>7</sup>
AUTO-LOCK ACCESSORY SHOE	-
SMART ACCESSORY TERMINAL 2	-
MIC TERMINAL	Yes (3.5 mm Stereo minijack)
DC IN TERMINAL	-
SYNC TERMINAL	-
HEADPHONE TERMINAL	Yes (3.5 mm Stereo minijack)
VERTICAL GRIP CONNECTOR	Yes
PC REMOTE	Yes

LAN TERMINAL	-
--------------	---

Audio	MICROPHONE	Built-in stereo microphone or XLR-K2M/XLR-K1M/ECM-XYSTIM (sold separately)
	SPEAKER	Built-in, monaural

Print	COMPATIBLE STANDARDS	Exif Print, Print Image Matching III, DPOF setting
-------	----------------------	--

Custom function	TYPE	Custom key settings, Programmable Setting (Body 2 sets /memory card 4 sets), My Menu, Reg Cust Shoot Set
-----------------	------	--

Lens Compensation	SETTING	Peripheral Shading, Chromatic Aberration, Distortion
-------------------	---------	--

Power	SUPPLIED BATTERY	One rechargeable battery pack NP-FZ100
	BATTERY LIFE (STILL IMAGES)	Approx. 610 shots (Viewfinder) / approx. 710 shots (LCD monitor) (CIPA standard) <sup>8</sup>

	BATTERY LIFE (MOVIE, ACTUAL RECORDING)	Approx. 115 min (Viewfinder) / Approx. 125 min (LCD monitor) (CIPA standard) <sup>9 10</sup>
--	--	--

	BATTERY LIFE (MOVIE, CONTINUOUS RECORDING)	Approx. 200 min (Viewfinder) / Approx. 210 min (LCD monitor) (CIPA standard) <sup>9 11</sup>
--	--	--

	INTERNAL BATTERY CHARGE	Yes (Available with Multi/Micro USB Terminal or USB Type-C Terminal)
--	-------------------------	--

	POWER CONSUMPTION WITH VIEWFINDER	Still images: approx. 3.2 W (with FE 28-70 mm F3.5-5.6 OSS lens attached), Movies: approx. 4.9 W (with FE 28-70 mm F3.5-5.6 OSS lens attached)
--	-----------------------------------	--

	POWER CONSUMPTION WITH LCD SCREEN	Still images: approx. 2.8 W (with FE 28-70 mm F3.5-5.6 OSS lens attached), Movies: approx. 4.7 W (with FE 28-70 mm F3.5-5.6 OSS lens attached)
--	-----------------------------------	--

	USB POWER SUPPLY	Yes (Available with Multi/Micro USB Terminal or USB Type-C Terminal)
--	------------------	--

Others	OPERATING TEMPERATURE	32 - 104 degrees F / 0 - 40 degrees C
--------	-----------------------	---------------------------------------

Size & Weight	WEIGHT (WITH BATTERY AND MEMORY CARD INCLUDED)	Approx. 650 g (1 lb 7.0 oz)
	DIMENSIONS (W X H X D)	Approx. 126.9 mm x 95.6 mm x 73.7 mm, Approx. 126.9 mm x 95.6 mm x 62.7 mm (from grip to monitor)/Approx. 5 x 3 7/8 x 3 inches, Approx. 5 x 3 7/8 x 2 1/2 inches (from grip to monitor)

<b>2.</b>	<b>LENS</b>	<b>2</b>	<b>PCS</b>
-----------	-------------	----------	------------

### Description


**Key Features**

- E-Mount Lens/Full-Frame Format
- Aperture Range: f/2.8 to f/22
- One XLD Element, One LD Element
- Three Aspherical Elements

Blending a sleek form-factor with a versatile working range, the 28-75mm f/2.8 Di III RXD from Tamron is a full-frame-compatible lens for Sony E-mount mirrorless cameras. Spanning wide-angle to portrait-length, a constant f/2.8 maximum aperture complements this range and affords increased control over depth of field along with enhanced low-light

<b>3.</b>	<b>LENS</b>	<b>2</b>	<b>PCS</b>
-----------	-------------	----------	------------

**Lens Construction**



Legend: ■ SLD glass □ ASPHERICAL LENS

17 elements in 12 groups

**Dimensions (Diameter x Length)**

SIGMA SA-Mount  
 $\phi 78\text{mm} \times 121\text{mm}$  /  
 $\phi 3.1\text{in.} \times 4.8\text{in.}$

\*The length of a lens is measured from the filter surface to its mount.

**Weight**

SIGMA SA-Mount  
810g / 28.6oz.

**Edition Number**

A013  
About [Edition Number](#)

**Supplied Accessories**

**Angle of View**

76.5° - 44.2°

**Number of Diaphragm Blades**

9 (Rounded diaphragm)

**Minimum Aperture**

F16

**Minimum Focusing Distance**

28cm/11.0in.

**Maximum Magnification Ratio**

1:4.3

**Filter size**

φ72mm

**Corresponding AF Mounts / Barcode No.**SIGMA SA-Mount  
00-85126-21056-4Nikon F Mount  
00-85126-21055-7Canon EF Mount  
00-85126-21054-0Sony A-Mount  
00-85126-21062-5Pentax Mount  
00-85126-21061-8**Technologies****High-precision, rugged brass bayonet mount**

The brass mount combines high precision with rugged construction. Its treated s...

**Inner Zoom**

The lens incorporates an inner zoom. With their unchanging barrel length, these...

**HSM (Hyper Sonic Motor)**

The Hyper Sonic Motor (HSM) is an original SIGMA development that uses ultrason...

**Rounded diaphragm**

The polygonal shape of a conventional iris dia phragm causes out-of-focus light...

**Exclusive low-dispersion glass**

The degree to which light is refracted by glass depends on the light's waveleng...

**4.****LENS****1****PC**

Lightweight, compact 35mm Full Frame standard zoom lens

**MINIMUM FOCUS DISTANCE**

0.3-0.45 m (0.99-1.48 ft)



28-70mm zoom range and F3.5-5.6 aperture

**MAXIMUM MAGNIFICATION RATIO (X)**

0.19x



Built-in Optical SteadyShot™ image stabilization

**FILTER DIAMETER (MM)**

55 mm



7-blade circular aperture for beautiful defocusing

**WEIGHT**

295 g (10.5 oz)



Dust and moisture resistant design

**5.****STUDIO VOICE RECORDING SET UP (BUNDLE)****1****SET****1. Audiobox**

- Bus-powered USB audio and MIDI interface
- Perfect match with Studio One® Artist software for Mac® and Windows®
- 24-bit resolution, 44.1, 48, 88.1, and 96 kHz sampling rate
- 2 combo mic/instrument inputs with Class A mic preamplifiers
- 48V phantom power (for included M7 microphone or other condenser microphones)
- Zero-latency monitoring via internal analog mixer



- Headphone jack with level control (for included HD7 headphones or other headphones)
- 1/3U rack-mountable
- Computer-to-interface connection cable included

## **2. Studio One Artist**

- Elegant single-window work environment
- Powerful drag-and-drop functionality
- Unlimited audio tracks, MIDI tracks, virtual instruments, buses, and FX channels
- Content browser with convenient sort options and preview player
- Most intuitive MIDI-mapping system available
- Real-time audio time-stretching and resampling
- Multitrack comping and MIDI editing
- Transient detection and editing and groove extraction
- Automatic delay compensation
- Advanced automation
- Integrates tightly with Celemony Melodyne
- Instantly configures to PreSonus® interfaces
- Compatible with ASIO-, Windows Audio-, and Core Audio-compliant interfaces
- 26 Native Effects 32-bit effects and virtual instrument plug-ins
- 10+ GB of third-party software, loops, and instruments
- Mac- and Windows-compatible

## **3. Studio Monitors**

- Frequency Response      80Hz-20kHz
- Crossover Frequency      2.8kHz
- Maximum Peak SPL      100 dB SPL @ 1m
- Input Types      2 x 1/4", 1 x Dual RCA Stereo, 1 x 1/8" (aux in)

## **4. M7 condenser microphone**

- Large-diaphragm design
- Captures far more detail than a dynamic mic

- Mic stand adaptor
- Phantom-powered via AudioBox USB
- 9' / 3 m cable included

**5. *HD professional headphones***

- Large-diaphragm design
- Captures far more detail than a dynamic mic
- Mic stand adaptor
- Phantom-powered via AudioBox USB
- 9' / 3 m cable included

**6.**

**VIDEO SWITCHERS & CAPTURE CARDS**

**1**

**Unit**

- 4-Channel Live Stream HDMI Switcher
- Input/Output up to 1080p60 10-Bit 4:2:2
- 2-Channel Digital Audio Mixer
- HDMI Output, Ethernet ATEM Control
- Media Player, Computer Input Support
- Upstream and Downstream Keyers
- DVE Transition, Chroma/Luma Keyers
- Color and Pattern Generators
- USB Type-C Streaming/Webcam Output

**7.****CAMERA FOR FACEBOOK LIVESTREAMING****1****Unit****IMAGE**

Effective Megapixels	16MP
Image Stabilization	Yes
Auto Focus	Yes
ISO Minimum	100
ISO Maximum	25600
Image Format	JPEG (DCF, Exif 2.3), RAW
Live View	Yes
Face Recognition	Yes
Self Timer	Yes
ISO Auto	Yes

**SENSOR**

Sensor Type	CMOS
Sensor Size	17.3 x 13mm
Sensor Format	APS-Four Thirds

**VIDEO**

Video Resolution	QHD
------------------	-----

**SHUTTER**

Shutter Speed	1/16000
Shutter Type	Electronic Front Curtain Shutter

**DISPLAY**

Viewfinder	Electronic
Viewfinder Coverage	100%
Display Size	3"
Tiltable	No

**INTERFACE**

Wi-Fi	Yes
Mic Input	Yes
GPS	No
NFC	No
USB	Yes
HDMI	Yes
Bluetooth	No

**DESIGN**

Weight	505g
Camera Version	Lens Kit
Dimensions (W x H x D)	128 x 89 x 74mm
Colour	Black

**MEMORY**

Memory Card	Yes
-------------	-----

**BODY**

Dustproof	No
Built-in flash	Yes
Touchscreen	Yes

**8.****TELEPROMPTER****1****Unit****High quality:**

- Reflecting screen: professional LCD screen.
- Imported super slim medium optical glass.
- Range of visibility: more than 3 meters.
- Bright image, high resolution: 1024\*768pixels.
- Wide viewing angle: level 140, vertical 130.
- The image is still very clear in a quite bright studio environment.
- High-contrast video circuit design, can reach 150:1.

**High performance:**

- Independent hand operated bracket to hold the teleprompter.
- The teleprompter is separated with the camera bracket, and it is much easier to move, adjust, disassemble, carry and operated.
- Unique function of hand operated to go up and down: crank device and thread are all die cast aluminum frame.
- Software compatible with iPad, application convenient, flexible operation.

**9.****EXTERNAL MICROPHONE FOR MIRRORLESS CAMERA****2****PCS**

Studio recording quality  
 Condenser microphone  
 Super-cardioid polar pattern  
 9V battery power  
 Integrated Rycote® Lyre® shock mounting  
 Two step High Pass Filter (Flat/80Hz)  
 Three step PAD (0, -10, -20dB)  
 Rugged reinforced ABS construction  
 Windshield included  
 3.5mm mini-jack output  
 Integrated cold-shoe mount (3/8" thread)

10.	<b>DRONE</b>	<b>1</b>	<b>UNIT</b>	
<p>Combination of a foldable and portable frame, high-end camera system, and a host of accessories to get flying quickly. The 3-axis gimbal sports a 1/2" CMOS sensor capable of capturing 8K Hyperlapse time-lapse shots, 4K60 video, 240 fps slow-motion 1080p video, and up to 48MP stills.</p>				
11.	<b>CAMERA STABILIZER</b>	<b>2</b>	<b>UNITS</b>	
<ul style="list-style-type: none"> <li>•360° Rotation Along All Three Axes</li> <li>•Supports Compact Cameras up to 3.9 lb</li> <li>•Includes Lens Support for Long Lenses</li> <li>•Three 32-Bit MCUs Running at 4000 Hz</li> <li>•Four-Way Stepless Joystick</li> <li>•Tool-Less Camera Attachment</li> <li>•1/4"-20 Threaded Hole on the Bottom</li> <li>•Can Be Controlled via iOS/Android App</li> <li>•12-Hour Runtime with Included Batteries</li> </ul>				
12.	<b>LAPEL MICROPHONE FOR FACEBOOK LIVESTREAMING</b>	<b>2</b>	<b>UNITS</b>	
<ul style="list-style-type: none"> <li>— Ideal for interview, ENG/EFP, film production. Compander for high quality and clear sound.</li> <li>— Includes one dual-Channel wireless receiver and two transmitters. Up to 48 selectable UHF channels. Up to 32 MHz of transmission bandwidth.</li> <li>— Selectable stereo and mono mode. Plug and record functionality.</li> <li>— Easy and flexible wireless synchronization between transmitter and receiver via infrared. User-friendly menu operation. Selectable Mute function. Easy-to-read LCD displays.</li> <li>— Wide range of accessories adapts the system to most of requirements. Locked-plug avoids accidental changing of settings.</li> </ul>				

Note: Bidders must state either **“Comply”** or **“Not Comply”** or any equivalent term in the column **“Statement of Compliance”** against each of the individual parameters of each **“Specification”**.

I hereby commit to comply with all the above requirements.

---

Name of Company/Bidder

---

Bidder’s Signature over Printed Name

Date: \_\_\_\_\_

# ***Section VIII. Checklist of Technical and Financial Documents***

## **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

### **I. TECHNICAL COMPONENT ENVELOPE**

#### ***Class “A” Documents***

##### *Legal Documents*

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**

(b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**

(c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**

(d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

##### *Technical Documents*

(f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**

(g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**

(h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

**or**

Original copy of Notarized Bid Securing Declaration; **and**

(i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; **and**

(j) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### *Financial Documents*

(k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

(l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); **or**

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### **Class "B" Documents**

(m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

**or**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### *Other documentary requirements under RA No. 9184 (as applicable)*

(n) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.

(o) Certification from the DTI if the Bidder claims preference as a Domestic



Bidder or Domestic Entity.

**25 FINANCIAL COMPONENT ENVELOPE**

(a) Original of duly signed and accomplished Financial Bid Form; **and**

(b) Original of duly signed and accomplished Price Schedule(s).

