Email Address:

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT

Note: Prospective supplier must be registered at the Philippine Government Electronic F (PhilGEPS). You may visit the PhilGEPS website at www.philgeps.gov.ph and register	RFQ No.: Date:	24-0758-NP-SVP 4 Jun 2024	
Company Name:			
Company Address:			
Contact Person:			
Contact No.:			
PhilGEPS Reg. No.:			
Company TIN:			

Item No.	Qty.	Unit	Purchaser's Specifications	Bidder's Specifications (Please fill out the detailed specifications in the space provided)	Unit Cost	Total Cost
			SUPPLY AND DELIVERY OF:			
	3	pcs	Nano USB Bluetooth 5.0 Adapter Receiver			
	1	pcs	Portable Mic (suited for interviews) (set)			
			Dimensions 47.32×30.43×20.01 mm Weight 30 g Wireless Mode GFSK 1 Mbps and 2 Mbps Equivalent Isotropic Radiated Power (EIRP) 20 dBm Operating Frequency LiPo 1S Battery Type LiPo 1S Battery Capacity 320 mAh Battery Energy 1.23 Wh Battery Voltage 3.85 V Charging Temperature 5 to 45° C (41° to 113° F) Operating Time 70 mins Operating Time 70 mins Operating Time 5.5 hours Mic Receiver Dimensions 47.44×32.21×17.35 mm Weight 24.9 g Wireless Mode GFSK 1 Mbps and 2 Mbps Equivalent Isotropic Radiated Power (EIRP) 2400-2483.5 MHz Battery Type LiPo 1S			

			- FILO 12	
			Battery Capacity	
			• 320 mAh	
			Battery Energy	
			• 1.23 Wh	
			Battery Voltage	
			• 3.85 V	
			Charging Temperature	
			• 5 to 45° C (41° to 113° F)	
			Operating Temperature	
			• -10° to 45° C (14° to 113° F)	
			Charging Time	
			• 70 mins	
—			Operating Time	
			• 5 hours	
			Charging Case	
			• Dimensions	
			• 103.06×61.87×41.50 mm	
			Weight	
			• 162.2 g	
 -			Battery Type	
			• LiPo 1S	
 			Battery Capacity	
 				
 			• 2600 mAh	
			Battery Energy	
			• 10 Wh	
			Battery Voltage	
			• 3.87 V	
			Charging Temperature	
			• 5 to 45° C (41° to 113° F)	
			Operating Temperature	
			• 5 to 45° C (41° to 113° F)	
			Charging Time	
			2 hours and 40 mins	
			Operating Time	
			Fully charge three devices simultaneously 1.8 times	
			General	
			Microphone Directions	
			All Directions	
			Frequency Response	
			Low Cut Off: 50 Hz - 20 kHz	
			Low Cut On: 150 Hz - 20 kHz	
			Max Sound Pressure Level (SPL)	
			• 114 dB SPL	
			Max Input Level (3.5 mm)	
			• -17 dBV (THD < 0.1%)	
			• Equivalent Noise	
			· LUUIVOICII IVUISC	
			• 23 dBA	
			23 dBAMonitor Interface Output Power	
			 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω 	
			23 dBAMonitor Interface Output Power	
			 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance 	
	2	DCC	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features:	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 162.4 mm 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 162.4 mm Width: About 74.1 mm 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 74.1 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight - Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight + Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 74.1 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 74.1 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight + Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight + Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB SoC: MediaTek Dimensity 8200, Octa Core 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight + Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB Soc: MediaTek Dimensity 8200, Octa Core GPU Model: Arm Mali G610 MC6 950MHz 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - MediaTek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight + Height: About 74.1 mm - Width: About 74.1 mm - Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm - Weight: About 181g - Basic Parameters - Colors: Pearl White, Rock Grey - Operating System: ColorOS 14.0 based on Android - Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge - RAM: 12GB (+12GB Ram Expansion) - Storage: 512GB - Soc: MediaTek Dimensity 8200, Octa Core - GPU Model: Arm Mali G610 MC6 950MHz - Biometrics: Supports In-Screen Fingerprint and Facial Recognition 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB SoC: Media Tek Dimensity 8200, Octa Core GPU Model: Arm Mali G610 MC6 950MHz Biometrics: Supports In-Screen Fingerprint and Facial Recognition Display 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight - Height: About 162.4 mm Width: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g - Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android - Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB - Soc: Media Tek Dimensity 8200, Octa Core - GPU Model: Arm Mali G610 MC6 950MHz - Biometrics: Supports In-Screen Fingerprint and Facial Recognition - Display - Size: 6.7" 	
	2	PCS	 23 dBA Monitor Interface Output Power Max Output 22mW@1kHz, 32Ω Max Transmission Distance SMART PHONE (5G 32MP PORTRAIT CAMERA Product Features: - 32MP Telephoto Portrait Camera - 80W SUPERVOOC Flash Charge - Media Tek Dimensity 8200 - Brand New ColorOS 14 - Natural Aesthetic Design ***Dimensions/Weight Height: About 74.1 mm Thickness: Rock Grey: about 7.59mm; Pearl White: about 7.66mm Weight: About 181g Basic Parameters Colors: Pearl White, Rock Grey Operating System: ColorOS 14.0 based on Android Battery: 4600 mAh (Typical) with 80W SuperVOOC Flash Charge RAM: 12GB (+12GB Ram Expansion) Storage: 512GB SoC: Media Tek Dimensity 8200, Octa Core GPU Model: Arm Mali G610 MC6 950MHz Biometrics: Supports In-Screen Fingerprint and Facial Recognition Display 	

			■ KeSUIUIUII: FFID+ (2412 X 1000)		
			Refresh Rate: Maximum: 120 Hz		
-			Touch Sampling Rate: Maximum: 240 Hz		
			Colour Gamut: Vivid Mode: 100% DCI-P3 coverage / Natural Mode: 100% sRGB coverage		
			 Color depth: 1.07 billion colours (10-bit) Pixel Density: 394 PPI 		
			 Brightness: Typical value of 500 nits, with HBM brightness of 800 nits, and a local peak brightr 	ess of 950 nits.	
			Panel: AMOLED		
			• Cover Glasses: AGC		
			CameraRear:		
			• 50MP Sony flagship IMX890 + OIS camera: f/1.8; FOV 84°; 6P lens; AF; OIS		
-			• 32MP Sony flagship IMX709 professional telephoto (2X) camera: f/2; FOV 49°; 6P lens; AF		
			 8MP Sony IMX355 Ultra-Wide-angle camera 112°: f/2.2; FOV 112°; 5P lens; Fixed Focus Front: 		
			 32MP Sony flagship IMX709 Selfie + AF autofocus camera: f/2.4; FOV 90°; 5P lens; AF; open- 	oop focus motor; OIS	
			not supported		
			Shooting Mode	ticker Tout Coopper	
			 Rear: Pro, Video, Photo, Portrait, Night, Hi-Res, Pano, Slo-Mo, Time-Lapse, Dual-view video, Sland Google lensFront: Photo, Video, Portrait, Night, Pano, Time-lapse, Dual-view video, and Sticker 	icker, Text Scanner,	
			• Video		
			• Rear:		
			 Rear camera supports 4K@30fps, 1080P@60fps/30fps, and 720P@60fps/30fps;1080P@60fps svideos;Video zoom supported;720P@240fps, 720P@960fps, 1080P@120fps, 1080P@480fps supported 	• •	
			videos;1080P@30fps supported for Time-lapse (interval settings: 10X, 60X, 120X, 480X, 960X)	a for slow modern	
			• Front:		
			 Up to 4K@30fps, defaulting to 1080P@30fps (beautification enabled by default), 720P@30fps, zoom, time-lapse (1080P@30fps, interval settings: 10X, 60X, 120X, 480X, and 960X), no slow motion 		
			• Connectivity		
			• WLAN: Wi-Fi 6 (802.11ax), Wi-Fi 5 (802.11ac), 802.11a/b/g/n/ supported; WLAN 2.4G/WLAN 5		
			Display and WLAN tethering supported;2×2 MIMO and 8 spatial-stream sounding MU-MIMO supported.		
			 Bluetooth version: Bluetooth® 5.3, Bluetooth® Low Energy, high-power Bluetooth® (super Bluetooth of the super Bluetooth) 	uetootii®; technology	
			Bluetooth Audio Codec: SBC, AAC, aptX, aptX-HD, HD, LDAC, and LHDC		
			USB: USB Type-C Farnhone lack: Type-C		
			 Earphone Jack: Type-C NFC: Supported 		
			Cellular Network		
			SIM card 1 & SIM card 2 Six base New CIM and		
			 Sim type: Nano-SIM card Bandwidth frequency: 		
			• GSM: 850/900/1800/1900MHzWCDMA: Bands 1/2/4/5/6/8/19LTE FDD: Bands		
-			1/2/3/4/5/7/8/12/17/18/19/20/26/28/66LTE TDD: Bands 38/39/40/415G NR:		
			n1/n3/n5/n7/n8/n20/n28/n38/n40/n41/n66/n77/n78 Location Technology		
			GNSS: Beidou: B11; GPS: L1; GLONASS: G1; Galileo: E1; QZSS: L1		
			Others: Assisted GPS (A-GPS); WLAN and cellular network positioning		
			SensorsGeomagnetic sensor		
			Light sensor		
			 Proximity sensor In-display optical sensor 		
			Acceleration sensor		
			Gravity sensor		
			GyroscopeStep counting		
			Infrared sensor	_	
	1	PCS	CAMERA TRIPOD		
			Product Specifications		
				1	
			Material		
			Material Aluminium		
			Warranty Duration	1	
			6 Months		
			Warranty Type		
			Local Supplier Warranty	1	
			Weight Capacity	1	
			8kg		
			Folded Length	1	
			44m		
			Product Highlights		
			• Up to 1590mm	1	
			360° Universal horizontal	†	
			• CNC parts		
			Dual panaromic ball head	1	
			Tripod mode & Monopod mode	†	
			• 2 extension holes		
1			● Foot pad and spike		

1	PCS	Energizer Battery Charger Recharge MAXI for AA and AAA CHVCM4 with free 4 pcs Rechargeable AA		
1	PCS	DP Display-port to DVI Cable 1.8M DP to DVI Adapter Converter Displayport in to DVI Out for Computer		
2	PCS	SUPPLY AND DELIVERY OF PRINTERS		
		PRINT SCAN COPY, FAX		
		WIRELESS NETWORKING		
		AUTOMATIC DUPLEX: PRINT (UP TO A3)		
		UP TO 22/20IPM (MONO/COLOUR) BASED ON ISO/IEC 24734		
		FPOT: 6 SECONDS		
		2.7" TFT TOUCH PANEL		
		*******NOTHING FOLLOWS*****		
		Approved Budget for the Contract		
		(ABC): PhP 124,300.00		

				_
рI	ΙĐ	PC	10	₽•

DRMD - DRMD Personnel use for Interview and Geotagging

PR No. <u>2024-05-0758</u>

IMPORTANT: The winning bidder MUST SIGN the original copy of Purchase Order (P.O) upon receipt of the P.O. FAILURE to sign the original P.O means that the bidder is not interested and will be a ground for suspension or blacklisting in DSWD's future biddings.

ARNEL V. RADAZA	
Procurement Officer	Supplier
	Signature over Printed Name

Company Name:				DEO N-	24 0750 ND CVD
Company Name: Company Address:			-	RFQ No. Date:	24-0758-NP-SVP 04-Jun-24
Contact Person:			_	Date.	04-Jun-24
Contact No. :			_		
Philgeps Reg. No. :					
Company TIN:			_		
Email Address:			_		
Sir/Madam:					
	_		licable taxes, and other incident furnish us with descriptive broad	-	-
f you are the exclusive manufacterification to this effect.	cturer, distributor or age	ent in the Philippines for the g	goods listed in Annex A please	attach in your quota	ation a duly notarized
As a condition for award, you	will be required to sul	bmit the following documen	tary requirements:		
* Accomplished Quot	ation (for goods or inf	ra)/Proposal (for consulting)		
			* Income/Bussines Tax Retu		with an ABC
* Mayor's Permit			amounting above Php. 500k		
* PhilGEPS Registrat	tion No.		*Notarized Omnibus Sworn amounting to above Php. 50		ntracts with an ABC
* PCAB license (for it	nfra)				
Note:Submission of PhilGEPS	Platinum Certificate of I	Registration and Membership	is acceptable in lieu of the May	vor's Permit and Phi	IGEPS Reg. No.
			-		_
-	nen, Cagayan de Oro Ci	ty or email it to bac.fo10@ds	documents to DSWD – Procurer swd.gov.ph not later than 5:00 later.		
				Very Tı	ruly Yours,
					V. RADAZA
Terms and Conditions:					
. Award shall be made on per:	☑ Item Basis	☐ Total Quoted Price	☐ Lot Basis		
2. Quotation validity shall be:	6 Months				
3. Goods/Services shall be	15 20 morbing days w	non receipt of DO			
lelivered/conducted within	15-30 working days u	pon receipt of PO			
I. Place of Delivery	DSWD Field Office 10	<u>0</u>			
5. Terms of Payment:	15-30 days after the ir	nspections			
Payment through LDDAP-ADA (able Accounts Payable-Advice	to Debit Account).		
Account Name			Account Number:		
Bank Nam *Note: Non Land Bank of the l		Il he shouged a souvier for			
			ified above, the amount of the liqu	uidated damages sha	ll be at least equal to
			ay. Once the cumulative amount of without prejudice to other courses		
7. For goods, please indicate brand	model and country of original	gin			
3. In case of discrepancy between υ					
Please indicate Warranty					
0. In case of a tie, the contract sha	all be awarded to the suppl	ier or service provider who first	submitted its quotation.		
1. NOTE: "Prospective supplier n www.philgeps.gov.ph and register	•	ilippine Government Electronic	Procurement System (PhilGEPS).	You may visit the Ph	ilGEPS website at
ARNEL V. RADAZA					
Procurement Officer				Supplier	
			Signature	e over Printed Name	e

Republic of the Philippines

Department of Social Welfare and Development

Field Office No. 10 Cagayan de Oro City

PROOF OF RECEIPT

Quotation No: 24-0758-NP-SVP

Items: Nano USB Bluetooth 5.0 Adapter Receiver

Purpose: DRMD - DRMD Personnel use for Interview and Geotagging

Company Name	Representative	Position / Designation	Date	Signature

Canvasser	